



# **Airgo Cast User Guide**

# Directory

<b>Product overview</b> .....	1
<b>Application scenarios</b> .....	1
<b>App download</b> .....	1
<b>Large screen</b>	
List of features .....	1
Get started quickly .....	2
Home page .....	3
How-to instructions .....	3
Set up .....	4
<b>PC Cast</b>	
List of features .....	6
Get started quickly .....	7
Set up .....	8
<b>Mobile Phone Cast</b>	
List of features .....	8
Get started quickly .....	9
<b>Web Cast Web Cast</b>	
List of features .....	10
Get started quickly .....	10
<b>Other</b> .....	13

## Product overview

Airgo Cast is a screen transmission type software used for interactive tablet and multi-platform products, such as mobile phones, computers, web pages, tablets and other devices for screen content sharing and display, interactive control and collaboration.

## Application scenarios

1. Business meeting scenario
2. Education and training scenarios
3. Home entertainment scenes
4. Commercial display scene
5. Medical assistance scenarios
6. Video conferencing scenario

## App download

<https://www.airgo.link>

## Large screen

### 1、List of features

Network information display	Dynamically displays the current network status, type, and signal strength
Click Connect	Supports clients to click the device name to connect directly
PIN code connection	Support clients to connect via PIN code
IP address connection	Supports clients to connect by IP address
1080P screen projection	Support 1080P real-time screen projection from the client
4K screen casting	Support 4K ultra-clear real-time screen projection from the client
Apply screen casting	Support customer application window screen projection
Document casting	Support customer document projection
Media file casting	Support client-side media file projection playback
Reverse control	Support client remote control of screen projection
Sound control	Support switching sound output to the client or large screen

Full-screen toggle	Supports toggling client-specific full-screen display
Smart layout	Intelligent split-screen layout that supports multi-channel screen projection
Custom name	Supports customizing the device name on the large screen

## 2、 Get started quickly

Before using this software, you need to prepare:

1. Install the software on your device: Go to <https://www.airgo.link> to download the software.  
PC devices can be cast through browser web pages, without the need to install software.
2. Set up the interactive tablet to be on the same network as your device.
  - (1) Set up the interactive tablet network: Open the interactive tablet, click [System Settings]-[Network], and set [Network Status] to ensure that the interactive tablet network connection is successful. If you need to access an external network while mirroring, turn on and connect to a wireless or wired network at the same time.
  - (2) Set up your device's network to make sure it's consistent with your interactive tablet.
3. Run the Airgo Cast software on your device, find the corresponding interactive tablet device name, enter the screen casting code, and after the connection is successful, you can start screen casting.

### 3. Home page

On the top page of Airgo Cast, click on **Area 1** to bring up **[Operation Guide]** and **[Settings]**.



### 4. How-to instructions


As shown in the figure below, there are multiple ways to connect here, namely Airgo Cast client, **Miracast/Airplay/DLNA, and browser**. You can follow these instructions to connect and use your device.



## 5、Set up



1. Custom device name: You can edit the device name.
2. Screen Casting Code: enabled by default. After closing, the casting code will no longer be refreshed.
3. Refresh time: Set the update frequency of the projection code, which is updated every 30 minutes by default.
4. Split screen: The maximum number of screen casting, that is, the maximum number of multiple devices casting screen at the same time.
5. Quick Floating Window: Enabled by default. The quick floating window is located at the top of the interactive tablet interface and is used to display the screen casting code or IP information, as shown below.



Click [Quick Floating Window] to perform control operations, including [Device Management] and [Screen Casting Guide], as shown below



### [Device Management]

screen displays information about the screen projection device connected to the current interactive tablet. Support users to control and switch the state of the screen projection device, cast the screen, reverse projection, pause the screen projection, and disconnect.



### [Screen Casting GuideC]

page displays the screen projection information of the current interactive tablet, which is convenient for other users to quickly cast the screen when casting the screen.

6.Miracast: On by default.

Support Windows 8 and above, Android 4.2 and above and other display devices with Miracast wireless adapter.

7.Airplay: Enabled by default.

Support iPhone, Mac, iPad and other Apple devices come with screen projection protocol.

8.Check for updates:

Get the latest version of Airgo Cast.

## PC Cast

### 1、 List of features

Network information display	Dynamically displays the current network status, type, and signal strength
Device discovery	Supports automatic and manual refresh of the device list
Click Connect	Support clicking the device name to connect directly
PIN code connection	Support screen projection through PIN code connection
IP address connection	Supports screen projection by IP address
1080P screen projection	Support 1080P real-time screen projection
One-click screen casting	Support one-click trigger screen casting
Document casting	Supports document type file screen casting
Media file casting	Support screencasting and playback of pictures, audio, and video files
Sound control	Support switching sound output to screen projection device or computer
Pause/resume	Supports pausing and resuming screen casting
End screen casting	End exit from the current cast
Full screen/exit	Support full-screen casting content full-screen and exiting full-screen
Disconnect	Supports disconnecting from the mirroring device
Network detection	Support screen projection network environment detection
Custom device name	Supports custom screen casting device names

## 2、 Get started quickly

- 1.Install the software: Go to the <https://www.airgo.link> to download the corresponding platform software.
- 2.After the computer and the large screen are connected to the same network, select the corresponding interactive tablet, enter the screen casting code or IP address in the input box below, and click the [Connect] button. As shown in the figure below.



- 3.After the connection is successful, the software displays the "Connected" status interface.
- 4.Windows computers and Apple computers support selecting [\[Desktop\]](#)[\[Extended Screen\]](#)[\[Application\]](#) for screen projection or reverse screen casting.



- 5.After selecting it, click the [OK] button to start casting.

### 3、Set up

- 1.This device name: View your device name.
- 2.Screen casting quality: Standard mode screen projection is used by default. If your network environment is unstable and the latency value is displayed  $\geq 100\text{ms}$  when projecting, we recommend that you select weak network mode.
- 3.Scale setting: Set whether to maintain the aspect ratio. When the screen ratio of your device is not 16:9, it is recommended to turn it on.
- 4.About Airgo Cast: Get more details about Airgo Cast.

## Mobile Phone Cast

### 1、List of features

Network information display	Dynamically displays the current network status, type, and signal strength
Device discovery	Supports automatic and manual refresh of the device list
Click Connect	Support clicking the device name to connect directly
PIN code connection	Support screen projection through PIN code connection
IP address connection	Supports screen projection by IP address
Scan code to connect	Support scanning QR code to connect to screen projection
One-click screen casting	Support one-click trigger screen casting
Media file casting	Support screencasting and playback of pictures, audio, and video files
Document casting	Supports document type file screen casting
Reverse screen transmission	Support transmitting the content of the receiving end to the screen projection end in reverse
Pause/resume	Supports pausing and resuming screen casting
End screen casting	End exit from the current cast
Full screen/exit	Supports full-screen display and full-screen exit
Disconnected and reconnected	Supports automatic reconnection after network outages
Custom name	Supports custom screen casting device names

## 2、 Get started quickly

1.Download the Airgo Cast installation package: Go to <https://www.airgo.link> to download the corresponding platform software.

### Android Client



V2.0.1.73

Support Android 6.0 and above

Download

### iOS Client



V2.0.5

Support iOS 12 and above

Download

2.Install Airgo Cast.


3.Open Airgo Cast.

4.Set up your cellular network to match the big screen.

5.Enter the screen casting code or IP address to connect to the large screen.



6.Perform related operations: [\[One-click screen projection\]](#), [\[Reverse screen projection\]](#), [\[Document screen projection\]](#), [\[Wireless kiosk\]](#), [\[Wireless mouse\]](#).



## Web Cast Web Cast


### 1、List of features

function	description
Tab casting	Support tab content casting
Window casting	Supports browser window content casting
The entire screen is cast	Supports casting of entire browser screen content

### 2、Get started quickly

1. Open the hotspot network on the large screen: as shown below, click [\[Hotspot Settings\]](#), [\[System Settings\]](#) will pop up, and you will open the hotspot.





2. Return to the home page of Airgo Cast and get the hotspot, password and browser access address on the large screen, as shown below.





3. Connect your device to the hotspot.


4. Open the browser on your device and enter the access address.

(1) There is currently a warning prompt on the browser platform, we guarantee that all data is only generated and used for screen projection on your computer, and will not do data saving, transfer or any stealing information.

(2) You need to follow the steps below to dismiss the browser warning prompt, and then proceed to the next step.



5. Connect the large screen.



6. Select the casting area: Browser casting supports [Browser tab], [Window], [Entire screen], click Share after confirmation.



## Other

- 1.Free upgrade iterations:**In version iterations, our technical team provides you with free updates and improvements. Typically, we continuously improve and optimize our products, introducing new features, fixing bugs, increasing performance, and more in new versions. You can get these updates by upgrading iterations.
- 2.Technical Support:** If you encounter any issues or need technical support, please contact our customer service team.